āci

HTIRC-02-021

MAY 0 6 2004 4

April 30, 2004

Commissioner for Patents P.O.Box 1450

Alexandria, VA 22313-1450

Fr: George O. Saile, Reg. No. 19,572 28 Davis Avenue Poughkeepsie, N.Y. 12603

Subject:

Serial No. 10/786,806 02/25/04

Kunliang Zhang et al.

CPP GMR AND MAGNETOSTRICTION
IMPROVEMENT BY LAMINATING CO90Fe10
FREE LAYER WITH THIN Fe50Co50 LAYERS

INFORMATION DISCLOSURE STATEMENT

Enclosed is Form PTO-1449, Information Disclosure Citation
In An Application.

The following Patents and/or Publications are submitted to comply with the duty of disclosure under CFR 1.97-1.99 and 37 CFR 1.56.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on May 4, 2004.

Stephen B. Ackerman, Reg.# 37761

Signature/Date Signature/Date Signature

- U.S. Patent 5,627,704 to Lederman et al., "Thin Film Giant Magnetoresistive CPP Transducer with Flux Guide Yoke Structure," discloses a CPP GMR stack structure formed within a gap located in one of two pole layers of a magnetic yoke structure which also has a transducing gap formed in an ABS plane.
- U.S. Patent 5,668,688 to Dykes et al., "Current Perpendicular-to-the-Plane Spin Valve Type Magnetoresistive Transducer," discloses a spin valve CPP configuration in which the active layers form a stack of uniform width disposed between upper and lower shield and conductor layers.
- U.S. Patent 6,473,279 to Smith et al., "In-Stack Single-Domain Stabilization of Free Layers for CIP and CPP Spin-Valve or Tunnel-Valve Read Heads," teaches a CPP-GMR sensor whose ferromagnetic free layer is maintained in a single domain state by a layer configuration in which the free layer is separated from a pinning layer (below the free layer) by a non-magnetic spacer layer and an additional ferromagnetic layer is formed above the free layer and separated from it by an additional non-magnetic spacer layer formed of Ru.
- U.S. Patent 6,226,197 to Nishimura, "Magnetic Thin Film Memory, Method of Writing Information in It, and Me," teaches a magnetic thin film memory using a variety of ferromagnetic layered materials.

HTIRC-02-021

U.S. Patent 6,344,954 to Redon et al., "Magneto-Resistive Tunnel Junction Head with Specific Flux Guide Structure," teaches a MR tunnel junction whose ferromagnetic free layer and pinned layers are made of various layers of spin polarizing materials.

Sincerely,

Stephen B. Ackerman,

Reg. No. 37761

Form PTO-1												tenn how		
THEAT	THE PHATION DISCLOSURE CITATION HTTRC-02-											1786	,806	
\0\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	WIN AN APPLICATION Kun li											hana	ot al.	
MAY 0 6 200	2004 P) Phos Done /											and the profes	,	
	101	Ah.	1000	ТШ 3	/100 	(3 1	Ino			02/25/	04			
STALLER OF THE										NT DOCUMENTS				
MUM	00	OCCUPIENT HOUSES					π	DATE		CLUM	Mecrie	ላውት የተፈመሰብ አገር አ የተፈመመተ ያ		
······································	5	6	2	7	7	0	4	5/6/97	Leder	man et al.	360	113	2/12/96	
	5	6	6	8	6	8	8	9/16/97	Dykes	et al.	360	113	5/24/96	
	6	4	7	3	2	7	9	10/29/00	1 Smith	et al.	360	324.12	1/4/01	
	6		1 :	j	1		1 1	25/02	Redon	et al.	360	324.2	3/2/00	
·.	6			6				5/1/01	ſ	mura	365	171	10/22/99	
			-	_	1	_	4	. = 11101		7,7,52,0			10/0-1	
			_	_										
	_		-		-		-							
<u>to sure la la companya di sure la companya di</u>		-			-		-		·					
· · · · · · · · · · · · · · · · · · ·	-	-	-	_	_		_							
-								, , , , , , , , , , , , , , , , , , ,						
														
	·								FOREIGN PA	TENT DOCUMENTS				
	∞	DOCUMENT HUMBER						OUTE	сочнтлу		cuss	รบชยนรอ	YES NO	
	1	\neg	1	_	7		+		· · · · · · · · · · · · · · · · · · ·	·			1.0	
<u>···</u>		-	ᅱ	-	-	-j	-						}	
			-	_	-	-	-						<u> </u>	
	_		_	_	_	_	_ .							
				_										
	_ }		_	_		_{				·				
OTHER DOCUMENTS (Including Luthor, Title, Date, Pertinent Pages, Etc.)														
					<u></u> -								•	
								····-	<u></u>					
		_						··						
									γ	······································				
EXAMPLER										DATE CONCOCRED				
												,		
							,							